

Martek Algal DHA Clinical Studies — Adults & Children

1. **Agren JJ, Hanninen O, Julkunen A, Fogelholm L, Vidgren H, Schwab U, Pynnonen O, Uusitupa M.** Fish diet, fish oil and docosahexaenoic acid rich oil lower fasting and postprandial plasma lipid levels. *Eur J Clin Nutr.* 1996 Nov;50(11):765-71.
2. **Agren JJ, Tormala ML, Nenonen MT, Hanninen OO.** Fatty acid composition of erythrocyte, platelet, and serum lipids in strict vegans. *Lipids.* 1995 Apr;30(4):365-9.
3. **Agren JJ, Vaisanen S, Hanninen O, Muller AD, Hornstra G.** Hemostatic factors and platelet aggregation after a fish-enriched diet or fish oil or docosahexaenoic acid supplementation. *Prostaglandins Leukot Essent Fatty Acids.* 1997 Oct;57(4-5):419-21.
4. **Arterburn LM, Oken HA, Bailey Hall E, Hamersley J, Kuratko CN, Hoffman JP.** Algal-oil capsules and cooked salmon: nutritionally equivalent sources of docosahexaenoic acid. *J Am Diet Assoc.* 2008 Jul;108(7):1204-9.
5. **Arterburn LM, Oken HA, Hoffman JP, Bailey-Hall E, Chung G, Rom D, Hamersley J, McCarthy D.** Bioequivalence of Docosahexaenoic acid from different algal oils in capsules and in a DHA-fortified food. *Lipids.* 2007 Nov;42(11):1011-24. [S & T]
6. **Berson EL, Rosner B, Sandberg MA, Weigel-DiFranco C, Moser A, Brockhurst RJ, Hayes KC, Johnson CA, Anderson EJ, Gaudio AR, Willett WC, Schaefer EJ.** Clinical trial of docosahexaenoic acid in patients with retinitis pigmentosa receiving vitamin A treatment. *Arch Ophthalmol.* 2004 Sep;122(9):1297-305.
7. **Berson EL, Rosner B, Sandberg MA, Weigel-DiFranco C, Moser A, Brockhurst RJ, Hayes KC, Johnson CA, Anderson EJ, Gaudio AR, Willett WC, Schaefer EJ.** Further evaluation of docosahexaenoic acid in patients with retinitis pigmentosa receiving vitamin A treatment: subgroup analyses. *Arch Ophthalmol.* 2004 Sep;122(9):1306-14.
8. **Bailey-Hall E, Nelson EB, Ryan AS.** Validation of a rapid measure of blood PUFA levels in humans. *Lipids.* 2008 Feb;43(2):181-6. [S]
9. **Conquer JA, Holub BJ.** Supplementation with an algae source of docosahexaenoic acid increases (n-3) fatty acid status and alters selected risk factors for heart disease in vegetarian subjects. *J Nutr.* 1996 Dec;126(12):3032-9.
10. **Conquer JA, Holub BJ.** Docosahexaenoic acid (omega-3) and vegetarian nutrition. *Vegetarian Nutrition: An International Journal.* 1997;1(2):42-9.

11. **Conquer JA, Holub BJ.** Effect of supplementation with different doses of DHA on the levels of circulating DHA as non-esterified fatty acid in subjects of Asian Indian background. *J Lipid Res.* 1998 Feb;**39(2):286-92.**
12. **Conquer JA, Martin JB, Tummon I, Watson L, Tekpetey F.** Effect of DHA supplementation on DHA status and sperm motility in asthenozoospermic males. *Lipids.* 2000 Feb;**35(2):149-54.**
13. **Davidson MH, Maki KC, Kalkowski J, Schaefer EJ, Torri SA, Drennan KB.** Effects of docosahexaenoic acid on serum lipoproteins in patients with combined hyperlipidemia: a randomized, double-blind, placebo-controlled trial. *J Am Coll Nutr.* 1997 Jun;**16(3):236-43.**
14. **Engler M, M., Engler MB, Arterburn L, Bailey E, Chiu EY, Malloy MJ, Mietus-Snyder ML.** Docosahexaenoic acid supplementation alters plasma phospholipid fatty acid composition in hyperlipidemic children: results from the Endothelial Assessment of Risk from Lipids in Youth (EARLY) study. *Nutr Res.* 2004;**24:721-9.**
15. **Engler MM, Engler MB, Malloy M, Chiu E, Besio D, Paul S, Stuehlinger M, Morrow J, Ridker P, Rifai N, Mietus-Snyder M.** Docosahexaenoic acid restores endothelial function in children with hyperlipidemia: results from the EARLY study. *Int J Clin Pharmacol Ther.* 2004 Dec;**42(12):672-9.**
16. **Engler MM, Engler MB, Malloy MJ, Paul SM, Kulkarni KR, Mietus-Snyder ML.** Effect of docosahexaenoic acid on lipoprotein subclasses in hyperlipidemic children (the EARLY study). *Am J Cardiol.* 2005 Apr **1;95(7):869-71.**
17. **Ferretti A, Nelson GJ, Schmidt PC, Bartolini G, Kelley DS, Flanagan V.** Dietary docosahexaenoic acid reduces the thromboxane/prostacyclin synthetic ratio in humans. *Nutr Biochem.* 1998;**9:88-92.**
18. **Fidler N, Sauerwald T, Demmelmair H, Pohl A, Koletzko B.** Oxidation of an oil rich in docosahexaenoic acid compared to linoleic acid in lactating women. *Ann Nutr Metab.* 1999;**43(6):339-45.**
19. **Fidler N, Sauerwald T, Pohl A, Demmelmair H, Koletzko B.** Docosahexaenoic acid transfer into human milk after dietary supplementation: a randomized clinical trial. *J Lipid Res.* 2000 Sep;**41(9):1376-83.**
20. **Gibson RA, Neumann MA, Makrides M.** Effect of increasing breast milk docosahexaenoic acid on plasma and erythrocyte phospholipid fatty acids and neural indices of exclusively breast fed infants. *Eur J Clin Nutr.* 1997 Sep;**51(9):578-84.**
21. **Gillingham M, Van Calcar S, Ney D, Wolff J, Harding C.** Dietary management of long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency (LCHADD). A case report and survey. *J Inherit Metab Dis.* 1999 Apr;**22(2):123-31.**

22. **Harding CO, Gillingham MB, van Calcar SC, Wolff JA, Verhoeve JN, Mills MD.** Docosahexaenoic acid and retinal function in children with long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency. *J Inherit Metab Dis.* 1999 May;22(3):276-80.
23. **Hawthorne K AS, Heird W.** Plasma phospholipid levels in children improve with supplementation of DHA to orange juice. *J Am Diet Assoc. [Abstract].* 2007;107(8 (Suppl 3)).
24. **Hoffman DR, Locke KG, Wheaton DH, Fish GE, Spencer R, Birch DG.** A randomized, placebo-controlled clinical trial of docosahexaenoic acid supplementation for X-linked retinitis pigmentosa. *Am J Ophthalmol.* 2004 Apr;137(4):704-18.
25. **Innis SM, Friesen RW.** Essential n-3 fatty acids in pregnant women and early visual acuity maturation in term infants. *Am J Clin Nutr.* 2008 Mar;87(3):548-57.
26. **Innis SM, Hansen JW.** Plasma fatty acid responses, metabolic effects, and safety of microalgal and fungal oils rich in arachidonic and docosahexaenoic acids in healthy adults. *Am J Clin Nutr.* 1996 Aug;64(2):159-67.
27. **Jensen CL, Llorente A.** Effects of maternal docosahexaenoic Acid (DHA) supplementation on visual and neurodevelopmental function of breast-fed infants and indices of maternal depression and cognitive interference. *Ped Res.* 1999;45(4):284A.
28. **Jensen CL, Maude M, Anderson RE, Heird WC.** Effect of docosahexaenoic acid supplementation of lactating women on the fatty acid composition of breast milk lipids and maternal and infant plasma phospholipids. *Am J Clin Nutr.* 2000 Jan;71(1 Suppl):292S-9S.
29. **Jensen CL, Prager TC, Zou Y, Fraley JK, Maude M, Anderson RE, Heird WC.** Effects of maternal docosahexaenoic acid supplementation on visual function and growth of breast-fed term infants. *Lipids.* 1999;34 Suppl:S225.
30. **Jensen CL, Voigt RG, Prager TC, Zou YL, Fraley JK, Rozelle JC, Turcich MR, Llorente AM, Anderson RE, Heird WC.** Effects of maternal docosahexaenoic acid intake on visual function and neurodevelopment in breastfed term infants. *Am J Clin Nutr.* 2005 Jul;82(1):125-32.
31. **Johnson EJ, Chung HY, Caldarella SM, Snodderly DM.** The influence of supplemental lutein and docosahexaenoic acid on serum, lipoproteins, and macular pigmentation. *Am J Clin Nutr.* 2008 May;87(5):1521-9.
32. **Johnson EJ, McDonald K, Caldarella SM, Chung HY, Troen AM, Snodderly DM.** Cognitive findings of an exploratory trial of docosahexaenoic acid and lutein supplementation in older women. *Nutr Neurosci* 2008 Apr; 11(2):75-83.

33. **Keilson LM, Keller D, Barb P, Jurgilas S, Blum J, Farino B, Reynolds J.** Docosahexaenoic acid lowers diastolic blood pressure and reduces heart rate in a statin-treated cardiac risk population. *J Am Coll Cardiol.* 2007 March 6, 2007;49(9 Suppl, A):350A.
34. **Keller DD, Jurgilas S, Perry B, Blum J, Farino B, Reynolds J, Keilson LM.** Docosahexanoic acid (DHA) lowers triglyceride levels and improves low density lipoprotein particle size in a statin-treated cardiac risk population. *J Clin Lipidol.* 2007;1(2):151.
35. **Kelley DS, Siegel D, Vemuri M, Chung GH, Mackey BE.** Docosahexaenoic acid supplementation decreases remnant-like particle-cholesterol and increases the (n-3) index in hypertriglyceridemic men. *J Nutr.* 2008 Jan;138(1):30-5.
36. **Kelley DS, Siegel D, Vemuri M, Mackey BE.** Docosahexaenoic acid supplementation improves fasting and postprandial lipid profiles in hypertriglyceridemic men. *Am J Clin Nutr.* 2007 Aug;86(2):324-33.
37. **Llorente AM, Jensen CL, Voigt RG, Fraley JK, Berretta MC, Heird WC.** Effect of maternal docosahexaenoic acid supplementation on postpartum depression and information processing. *Am J Obstet Gynecol.* 2003 May;188(5):1348-53.
38. **Lloyd-Still JD, Powers CA, Hoffman DR, Boyd-Trull K, Lester LA, Benisek DC, Arterburn LM.** Bioavailability and safety of a high dose of docosahexaenoic acid triacylglycerol of algal origin in cystic fibrosis patients: a randomized, controlled study. *Nutrition.* 2006 Jan;22(1):36-46.
39. **Maki KC, Van Elswyk ME, McCarthy D, Hess SP, Veith PE, Bell M, Subbaiah P, Davidson MH.** Lipid responses to a dietary docosahexaenoic acid supplement in men and women with below average levels of high density lipoprotein cholesterol. *J Am Coll Nutr.* 2005 Jun;24(3):189-99. [S]
40. **Maki KC, Van Elswyk ME, McCarthy D, Seeley MA, Veith PE, Hess SP, Ingram KA, Halvorson JJ, Calaguas EM, Davidson MH.** Lipid responses in mildly hypertriglyceridemic men and women to consumption of docosahexaenoic acid-enriched eggs. *Int J Vitam Nutr Res.* 2003 Oct;73(5):357-68.
41. **Makrides M, Neumann MA, Gibson RA.** Effect of maternal docosahexaenoic acid (DHA) supplementation on breast milk composition. *Eur J Clin Nutr.* 1996 Jun;50(6):352-7.
42. **Marangell LB, Martinez JM, Zboyan HA, Kertz B, Kim HF, Puryear LJ.** A double-blind, placebo-controlled study of the omega-3 fatty acid docosahexaenoic acid in the treatment of major depression. *Am J Psychiatry.* 2003 May;160(5):996-8.

43. **Marangell LB, Zboyan HA, Cress KK, Vogelson L, Puryear LJ, Jensen CL, Arterburn L.** A double-blind, placebo-controlled study of docosahaenoic acid in the treatment of depression. *Inform.* 2000;11(5 Suppl.):S78.
44. **Marangell LB, Suppes T, Ketter TA, Dennehy EB, Zboyan H, Kertz B, Nierenberg A, Calbrese J, Wisniewski SR, Sachs G.** Omega-3 fatty acids in bipolar disorders: clinical and research considerations. *Prostaglandins Leukot Essent Fatty Acids* 2006 Oct-Nov;75(4-5):315-21. *Epub* 2006 Aug 22.
45. **Mebarek S, Ermak N, Benzaria A, Vicca S, Dubois M, Némoz G, Laville M, Lacour B, Véricel E, Lagarde M, Prigent AF.** Effects of increasing docosahexaenoic acid intake in human healthy volunteers on lymphocyte activation and monocyte apoptosis. *Br J Nutr.* 2008 Aug 19:1-7. [*Epub ahead of print*]
46. **Mischoulon D, Best-Popescu C, Laposata M, Merens W, Murakami JL, Wu SL, Papakostas GI, Dording CM, Sonawalla SB, Nierenberg AA, Alpert JE, Fava M.** A double-blind dose-finding pilot study of docosahexaenoic acid (DHA) for major depressive disorder. *Eur Neuropsychopharmacol.* 2008 Jun 5.
47. **Nelson GJ, Schmidt PC, Bartolini GL, Kelley DS, Kyle D.** The effect of dietary docosahexaenoic acid on plasma lipoproteins and tissue fatty acid composition in humans. *Lipids.* 1997 Nov;32(11):1137-46.
48. **Nelson GJ, Schmidt PS, Bartolini GL, Kelley DS, Kyle D.** The effect of dietary docosahexaenoic acid on platelet function, platelet fatty acid composition, and blood coagulation in humans. *Lipids.* 1997 Nov;32(11):1129-36.
49. **Otto SJ, van Houwelingen AC, Hornstra G.** The effect of different supplements containing docosahexaenoic acid on plasma and erythrocyte fatty acids of healthy non-pregnant women. *Nutr Res.* 2000;20(7):917-27.
50. **Otto SJ, van Houwelingen AC, Hornstra G.** The effect of supplementation with docosahexaenoic and arachidonic acid derived from single cell oils on plasma and erythrocyte fatty acids of pregnant women in the second trimester. *Prostaglandins Leukot Essent Fatty Acids.* 2000 Nov;63(5):323-8.
51. **Ryan AS, Nelson EB.** Assessing the effect of docosahexaenoic acid on cognitive functions in healthy, preschool children: a randomized, placebo-controlled, double-blind study. *Clin Pediatr (Phila).* 2008 May;47(4):355-62. [S]
52. **Sanders TA, Gleason K, Griffin B, Miller GJ.** Influence of an algal triacylglycerol containing docosahexaenoic acid (22: 6n-3) and

- docosapentaenoic acid (22: 5n-6) on cardiovascular risk factors in healthy men and women. *Br J Nutr.* 2006 Mar;**95(3):525-31.** [S]
53. **Schwellenbach LJ, Olson KL, McConnell KJ, Stolcpart RS, Nash JD, Merenich JA.** The triglyceride-lowering effects of a modest dose of docosahexaenoic acid alone versus in combination with low dose eicosapentaenoic acid in patients with coronary artery disease and elevated triglycerides. *J Am Coll Nutr.* 2006 Dec;**25(6):480-5.** [S]
54. **Stark KD, Holub BJ.** Differential eicosapentaenoic acid elevations and altered cardiovascular disease risk factor responses after supplementation with docosahexaenoic acid in postmenopausal women receiving and not receiving hormone replacement therapy. *Am J Clin Nutr.* 2004 May;**79(5):765-73.**
55. **Theobald HE, Chowienczyk PJ, Whittall R, Humphries SE, Sanders TA.** LDL cholesterol-raising effect of low-dose docosahexaenoic acid in middle-aged men and women. *Am J Clin Nutr.* 2004 Apr;**79(4):558-63.**
56. **Theobald HE, Goodall AH, Sattar N, Talbot DC, Chowienczyk PJ, Sanders TA.** Low-dose docosahexaenoic acid lowers diastolic blood pressure in middle-aged men and women. *J Nutr.* 2007 Apr;**137(4):973-8.**
57. **Vidgren HM, Agren JJ, Schwab U, Rissanen T, Hanninen O, Uusitupa MI.** Incorporation of n-3 fatty acids into plasma lipid fractions, and erythrocyte membranes and platelets during dietary supplementation with fish, fish oil, and docosahexaenoic acid-rich oil among healthy young men. *Lipids.* 1997 Jul;**32(7):697-705.**
58. **Voigt RG, Llorente AM, Jensen CL, Fraley JK, Berretta MC, Heird WC.** A randomized, double-blind, placebo-controlled trial of docosahexaenoic acid supplementation in children with attention-deficit/hyperactivity disorder. *J Pediatr.* 2001 Aug;**139(2):189-96.**
59. **Wheaton DH, Hoffman DR, Locke KG, Watkins RB, Birch DG.** Biological safety assessment of docosahexaenoic acid supplementation in a randomized clinical trial for X-linked retinitis pigmentosa. *Arch Ophthalmol.* 2003 Sep;**121(9):1269-78.**
60. **Wu WH, Lu SC, Wang TF, Jou HJ, Wang TA.** Effects of docosahexaenoic acid supplementation on blood lipids, estrogen metabolism, and in vivo oxidative stress in postmenopausal vegetarian women. *Eur J Clin Nutr.* 2006 Mar;**60(3):386-92.**

[S] = S-Oil

[S & T] = T-Oil and S-Oil